



Avail Panel Solution 屏风系列解决方案

A30™, A50™, A66™
Ideally Divided Space for
Optimal Performance and
Interaction

Avail panel workstations offer a
Ideally range of panel thicknesses -
30mm, 50mm and 66mm - to create
open, bright and collaborative work
setting.

理想的分隔空间 实现效率提升与互动

Avail屏风工作台涵盖全套屏风厚度 — 30mm,
50mm 和 66mm，以创建共享、优越和协作的办
公环境，对私密性和专注工作的需求进行优化。

A66™ Panel and Supervisor Height-Adjustable Desk
Trus Chair

A66™ 屏风 配主管位升降台
Trus 座椅



Avail A30™ Panel With Cube Return Cabinet Array Chair

Avail A30™ 屏风 配易彩边柜 优悦座椅

A30™


Easy workplace planning Efficient configuration

With panels that come fully-assembled, A30™+A30™ workstation is easy for on-site install and supports flexible workplace planning effortlessly, and efficiently, whether you're looking to shrink footprint, promote co-creations, or improve connections.


易于安装 简易办公布局

有了完全组装好的屏风系统，A30™ + A30™ 工作台变得更易于安装，能支持灵活多变的办公空间布局使用，无论您是要减小空间应用，推动团队共同创作，还是增进团队之间的联系沟通，都可轻松支持您各种业务的需求。

Panel Appearance 屏风外观



A30™ T-post
A30™ T柱



30mm Panel Thickness
30mm 屏风厚度



Avail A50™ Panel with Cube Metal Return Cabinet and Perch Sofa and Perch Sofa Array Chair

Avail A50™ 屏风 配易彩金属边柜与 Perch 沙发组合 悦悦座椅

A30™ + A50™


Smart Design in Shared Environments

Realize effective communication while keeping a proper space to focus. Select the best configurations of A30™ + A50™ to create essential nooks for collaborations and concentration with both pleasing aesthetics and smart functions.

智慧设计 共享美好办公环境

选择搭配A30™ + A50™屏风系列，在保持适当的专注空间，同时实现团队沟通协作，支持业务发展及各种办公空间的需求，创造一个美学与功能兼备的办公空间。

Panel Appearance 屏风外观



A30™ + A50™ T-post
A30™ + A50™ T柱



50mm Panel Thickness
50mm 屏风厚度




Design the Workplace to Support the Way You Work

个性化工作空间 让你办公随心

One size doesn't fit all. With evolving, task-based work environments becoming essential, it's ideal to work in an agile space that can be rearranged in minutes. The Avail workstations allow kit-of-parts to be added or removed through smart connections, so you can personalize your space instantly and effortlessly.

统一尺寸的办公配置组合无法满足多样化工作环境的需要。随著业务的不断发展，可满足员工进行各种工作任务的办公环境变得至为重要，能在数分钟内重新整合布局的灵活办公空间是理想之选。Avail工作台可通过简易组件智能连接，可随时添加或移除组件，让您轻松快捷地实现个性化空间。

- A. Monitor Arm 显示器支架
- B. Perch Sofa Perch 沙发
- C. Meta Syn Table 四星脚休闲桌
- D. Wardrobe 衣柜
- E. GoKeep Mobile Pedestal GoKeep 活动抽屉柜
- F. Trus Chair Trus座椅
- G. Avail Panel with 5003 Leg Style Avail 屏风桌面带座椅配5003款脚
- H. Cube Cabinet Storage 易彩储存柜



A30™ + A50™ Panel with 5000 Leg Style, Perch Sofa, GoKeep and Cube Metal Storage
MyTool Pencil Holder, Magazine Rack and Binder Holder
Trus Chair

A30™ + A50™ 屏风 带 5000 款脚 配 Perch 沙发 · GoKeep 活动抽屉柜与 易彩储存柜
MyTool 笔筒 · 杂志架及文件挂架
Trus 高背椅连头枕



A30™ + A66™

Maximizing Productivity

Avail's core components can help you make the most of every square foot while optimizing productivity and communication through easy definition of private and open spaces. The integration of A30™ + A66™ and Meta collaborative seating is another seamless arrangement.

唯美配搭 提高生产力

Avail的主流办公组合可助您充分利用每平方米的办公空间，同时可通过私密空间和共享空间的灵活运用来进行个人专注工作和协作沟通，有助提升生产力。A30™+A66™的多重组合和Meta协作式座椅的随心搭配，打造了又一大创新的精炼布局。

A66™ + A30™ Panel with 1002 Style Leg
MyTool Pencil Holder, Z-Shelf and Utility Cup
Trus Chair
Meta Collaborative Seating

A66™ + A30™ 屏风带1002款脚 配易彩金属
储存柜组合
MyTool 笔筒、Z-形架及多用杯
Trus 座椅
Meta 协作式座椅


Panel Appearance 屏风外观



A66™ T-post
A66™ T柱



60mm Panel Thickness
60mm 屏风厚度



A66™ allows the use of 2 different materials in 1 panel on front and back side to fulfill individual needs.
 A66™ 能在正面和背面的1个面板中使用2种不同的材料以满足个人需求。

A66™ Panel with White Board, Supervisor Height-Adjustable Desk, Cube Metal Storage and Perch Sofa
 Trus Chair

A66™ 屏风带写字白板 配主管位升降台
 易彩金属储存柜与 Perch 沙发组合
 Trus 座椅

A66™

Designed for Connected Management

Avail provides various configured combinations for you to achieve so much more with connected and interactive management, encouraging free flow of creative ideas communications. When needed, it can also cater to confidential work, close mentoring and one-on-one meeting with small side-cable and sofas.

灵活设计 优化联系式管理



Avail为您提供多种配置组合，实现团队联系和互相交流，有助团队发挥创意和沟通的流动。当主管需处理机密工作，进行员工指导或一对一会谈，可使用小型边柜和沙发，尽享舒适的会谈环境。

Product Highlight 产品特点

A66™ Cable Management 走线管理

Smart cable management - Roomy cable ducts allow wires to run inside A66™ workstation panels freely and discreetly. Socket plugs are located either on trunking or directly on the panel tile for ease of access.

智能走线管理 - Avail周全的A66™屏风走线管理系统，屏风内大容量的空间可将走线和电线在框架内分布，而且每个框架均可上线，能做到四通八达走线管理，方便使用。



A30™/A50™/A66™ has more than 10 finish for selection. For details, please refer to A30™/A50™/A66™ Statement of Line (SOL) on P.85. A30™/A50™/A66™ 备有多个10种材质选择。有关详细说明，请参考 P.85 Avail Panel A30™/A50™/A66™ 屏风系列产品线。

A30™/A50™ Panel Appearance A30™/A50™ 屏风外观

- A. A30™/A50™/A66™ Panel Thickness 30mm/50mm/66mm A30™/A50™/A66™ 屏风 板材厚度为30mm/50mm/66mm
- B. A30™+A30™ Panel 屏风
- C. A30™+A50™ Panel 屏风
- D. A30™+A66™ Panel 屏风
- E. A50™+A50™ Panel 屏风
- F. A66™+A66™ Panel 屏风

Design Platform Leg 同平台支撑脚

- G. 1001 Style 款脚
- H. 3000 Style 款脚
- I. 5003 Style 款脚
- J. 8001 Style 款脚

A66™ Panel Appearance A66™ 屏风外观


- K. Whole Framed Panel 整格屏风
- L. Divided Framed Panel 半格屏风
- M. A66™ High Leg Panel A66™ 高脚屏风

A66™ Application A66™ 应用



- N. Hanging Shelf & Cabinet 吊升架及吊柜
- O. Counter Desk 接待台
- P. Marker Board 写字白板

Avail Panel A30™/A50™/A66™ 屏风系列


A30™/A50™ Metal Legs 金属台脚




Fixed Pedestal 固定柜




MFC Panel Legs 板脚



A30™/A50™ Power Management 内置走线




A66™ Frame 框架




Metal Frame 金属框架
W: 400-1600
H: 1100,1207,1507,1657,1807


Tile Material 面板材质




MFC, Fabric on MFC 三氨板·布板
W: 400-1800 H: 150-1050
W: 400-1600 H: 1100
W: 400-1500 H: 1200
W: 400-1600 H: 1350-1500
W: 400-1000 H: 1650-1800




Tackable 可钉板
W: 400-1800 H: 290-450




Fabric on Metal 扣布金属
W: 400-1800 H: 150-1100
W: 400-1000 H: 1200-1800




Flat Metal, Marker Board 平板金属·白板
W: 400-1800 H: 150-1200
W: 400-1000 H: 1350-1800




Perforated Metal, Embossed Metal 方孔金属·美案板金属
W: 400-1800 H: 150-1200
W: 400-1000 H: 1350-1800




Acoustics Metal 吸音金属
W: 400-1800 H: 150-900
W: 400-800 H: 950-1800



Clear Glass, Frosted Glass, Grey Glass 清玻璃·磨砂玻璃·灰玻璃
W: 400-1800
H: 300-450



Trunking Cover 走线面盖
W: 400-1800
H: 150




Accessory Rail 多功能挂架
W: 400-1800
H: 150


Avail Panel A30™/A50™/A66™ 屏风系列

A66™ Connecting Post 连接柱


A66™ connecting post
A66™ 连接柱




S Joint
S 连接




L Joint
L 连接



T Joint
T 连接




X Joint
X 连接




120° Joint
120° 连接

A66™ & A30™
connecting post
A66™ & A30™ 连接柱


A66™ Support 支撑




MFC End Leg, with No Cable Management Underneath Desk
MFC 边脚 (配台底无走线)
D: 600,700,800



MFC Middle Leg
MFC 中间脚
D: 600,700,800




MFC End Leg, with No Cable Management Underneath Desk
MFC 边脚 (配台底无走线)
D: 600,700,800



Cantilever: Left/Right/Middle
悬臂支撑: 左/右/中

A66™ Power Management 走线




Cabling and Socket Cut Outs at Floor Level
地脚走线

Cabling and Socket Under Work Surface with Vertical Internal Raceway
台上横走线

Cabling and Socket Above Work Surface with Vertical Internal Raceway
台底 5H 横走线

A30™/A50™/A66™ Material 材质



Top : Painted Flat Metal
Bottom : Perforated Metal, Embossed Metal

顶格 : 平板金属
底格 : 方孔金属, 美案板金属

Top : Accessory Rail
Middle : Tackable Fabric
Bottom : MFC

顶格 : 多功能挂架
中格 : 可针板
底格 : MFC

Top : Clear Glass
Middle : Fabric on Steel
Bottom : Fabric on MFC

顶格 : 清玻璃
中格 : 铁板扞布
底格 : MFC 扞布

Top : Clear Glass
Middle : Tackable Fabric
Bottom : Fabric on Steel

顶格 : 清玻璃
中格 : 布针板
底格 : 金属扞布


Top : Frosted Transparent Glass
Middle : Marker Board/ Accoustics Metal
Bottom : Painted Flat Metal

顶格 : 磨砂透明玻璃
U 中格 : 写字白板
L 中格 : 吸音金属
底格 : 平板金属

Avail Panel A30™/A50™/A66™ 屏风系列


A30™/A50™ Panel 屏风

A30™ 屏风：30mm
A50™ 屏风：50mm




Panel, Floor Standing
落地屏风

W: 400,500,600,700,800,900,
1000,1200,1400,1500,1600,
1800
H: 1100,1207,1507,1657



Panel, w/Transparent Tile
(Floor Standing)
落地屏风带透明屏风格

W: 400,500,600,700,800,900,
1000,1200,1400,1500,1600,
1800
H: 1100,1207,1507,1657




Panel, w/Slat Wall
(Floor Standing)
落地屏风带多功能屏风格

W: 400,500,600,700,800,900,
1000,1200,1400,1500,1600,
1800
H: 1100,1207,1507,1657


Desktop Frameless Screen 无框屏风

Divider Frameless
Screen
无框分隔屏风




Fabric/Tackable
布屏风 / 针板屏风
H: 356
D: 600,700,800

P-Shape Divider
Frameless Screen
P型无框分隔屏风



Fabric/Tackable
布屏风 / 针板屏风
H: 576
D: 800,900,1000


Joint 连接




S Joint
S 连接




L Joint
L 连接



T Joint
T 连接



X Joint
X 连接



120° Joint
120° 连接